

```
<?xml version="1.0" encoding="utf-8" ?>
<j:jelly trim="false" xmlns:j="jelly:core" xmlns:g="glide" xmlns:j2="null" xmlns:g2="null">
current
  <g2:evaluate var="jvar_not_important" expression="
    var show_kb_menu = gs.getProperty('glide.knowman.show_kb_menu', 'true');
    var roles = gs.getProperty('glide.knowman.show_kb_menu.roles');
    if (roles == null || roles == "")
      ;
    else {
      var hasRole = gs.hasRole(roles);
      if (hasRole == false)
        show_kb_menu = false;
    }
  "/>

  <j2:if test="${show_kb_menu}">
    <j2:if test="${sysparm_media != 'print'}">

      <g2:evaluate var="jvar_not_important" expression="
        var show_kb_rating_options = gs.getProperty('glide.knowman.show_rating_options', 'true');
        var roles = gs.getProperty('glide.knowman.show_rating_options.roles');
        if (roles == null || roles == "")
          ;
        else {
          var hasRole = gs.hasRole(roles);
          if (hasRole == false)
            show_kb_rating_options = false;
        }
      "/>

      <g2:evaluate var="jvar_not_important" expression="
        var show_kb_yn_rating = gs.getProperty('glide.knowman.show_yn_rating', 'true');
```



```

        ajax.addParam('sysparm_type', 'saveUseful');
        ajax.addParam('sysparm_useful', value);
        ajax.addParam("sysparm_article_id", currentId);
        var query = $('#sysparm_search');
        ajax.addParam('sysparm_search', (query.length) ? escape(query.val()) : "");
        ajax.addParam("ts_queryId", "${tsQueryId}");
        ajax.getXMLAnswer(postUsefulCallback);
    }
}

```

```

function postUsefulCallback(answer) {
    var data = answer.evalJSON(true);
    if (!data) {
        return kbViewArticle.showErrorMessage('${jvar_failure_message}');
    }
    if (!data.success) {
        return kbViewArticle.showErrorMessage(data.message);
    }
}

```

```

function feedback(value) {
    // animation
    $('#.kb-article-yn-box').hide();
    $('#.kb_box_centered').removeAttr("tabindex");
    var label = $('#.kb-article-yn-label');
    label.animate({opacity: 0}, 600, function() {
        label.text(THANK_YOU);
    }).animate({opacity: 1}, 600, function() {
        setTimeout(function(){
            $('#.snc-article-footer-section-ratings').animate({
                height: 0,
            }

```

```

        opacity: 0
        }, 600);
        $('#kb_box_centered').attr('aria-hidden', "true");
        $('#kb_article_yn_label').remove();
        }, 1250);
    });

    ajaxPost(value);
}

return {
    feedback: feedback
};
}

// create an instance
var kbArticleRating = new KbArticleRatingClass();
</script>

<j2:if test="show_kb_yn_rating">
    <j2:if test="sysparm_no_rating != true">
        <div class="kb_box_centered" role="section">
            <span class="sr-only">${gs.getMessage('Is this article helpful?')} + ' ' +
kbViewInfo.helpfulText}</span>
            <span id="kb_helpful_yn_label" class="kb_article_yn_label" aria-live="polite">
                <span aria-hidden="true">${gs.getMessage('Helpful?')}</span>
            </span>
            <span role="group" aria-labelledby="kb_helpful_yn_label" class="kb_article_yn_box">
                <button class="btn btn-success-subdued kb_article_yes_btn"
onclick="kbArticleRating.feedback('yes')">${gs.getMessage('Yes')}</button>
                <button class="btn btn-destructive-subdued kb_article_no_btn"

```

